Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
K. Simons

VOLUME 149

15 June to 15 July 1981

ACADEMIC PRESS
London New York San Francisco

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 149

Number 1, 15 June 1981

Murgola, E. J., Restricted Wobble in UGA Codon Recognition by Glycine tRNA Suppressors of UGG 1

Scheller, R. H., Anderson, D. M., Posakony, J. W., McAllister, L. B., Britten, R. J. and Davidson, E. H., Repetitive Sequences of the Sea Urchin Genome. II. Subfamily Structure and Evolutionary Conservation 15

Posakony, J. W., Scheller, R. H., Anderson, D. M., Britten, R. J. and Davidson, E. H., Repetitive Sequences of the Sea Urchin Genome. III. Nucleotide Sequences of Cloned Repeat Elements 41

Gavrilova, L. P., Perminova, I. N. and Spirin, A. S., Elongation Factor Tu can Reduce Translation Errors in Poly(U)-directed Cell-free Systems . 69

Folkhard, W., Marvin, D. A., Watts, T. H. and Paranchych, W., Structure of Polar Pili from *Pseudomonas aeruginosa* Strains K and O . . . 79

Little, M., Ludueña, R. F., Langford, G. M., Asnes, C. F. and Farrell, K., Comparison of Proteolytic Cleavage Patterns of α-Tubulins and β-Tubulins from Taxonomically Distant Species 95

Weber, E., Papamokos, E., Bode, W., Huber, R., Kato, I. and Laskowski, M. Jr, Crystallization, Crystal Structure Analysis and Molecular Model of the Third Domain of Japanese Quail Ovomucoid, a Kazal Type Inhibitor 109

Letters to the Editor

Nussinov, R., Eukaryotic Dinucleotide Preference Rules and their Implications for Degenerate Codon Usage 125

Kolodrubetz, D. and Schleif, R., Identification of *ara*C Protein on Two-dimensional Gels, its *in vivo* Instability and Normal Level . . 133

Number 2, 25 June 1981

Beckingham, K., The Ribosomal DNA of *Calliphora erythrocephala*. The Cistron Classes of Total Genomic DNA 141

Kaufmann, W. K. and Cleaver, J. E., Mechanisms of Inhibition of DNA Replication by Ultraviolet Light in Normal Human and Xeroderma Pigmentosum Fibroblasts 171

Baker, C. C. and Ziff, E. B., Promoters and Heterogeneous 5′ Termini of the Messenger RNAs of Adenovirus Serotype 2 189

Files, J. G. and Hirsh, D., Ribosomal DNA of *Caenorhabditis elegans*. . 223

Snyder, M. A., Stock, J. B. and Koshland, D. E., Jr, Role of Membrane Potential and Calcium in Chemotactic Sensing by Bacteria . . . 241

Leonard, K., Wingfield, P., Arad, T. and Weiss, H., Three-dimensional Structure of Ubiquinol : Cytochrome *c* Reductase from *Neurospora* mitochondria Determined by Electron Microscopy of Membrane Crystals 259

Lepault, J., Weiss, H., Homo, J.-C. and Leonard, K., Comparative Electron Microscopic Studies of Partially Negatively Stained, Freeze-dried and Freeze-fractured Cytochrome Reductase Membrane Crystals. . . 275

Renner, W., Franke, W. W., Schmid, E., Geisler, N., Weber, K. and Mandelkow, E., Reconstitution of Intermediate-sized Filaments from Denatured Monomeric Vimentin 285

Letters to the Editor

Diverdi, J. A. and Opella, S. J., Dynamics of B-DNA in the Solid State 307

Taylor, H. C., Richardson, D. C., Richardson, J. S., Wlodawer, A., Komiraya, A. and Chaiken, I. M., "Active" Conformation of an Inactive Semi-synthetic Ribonuclease-S 313

Number 3, 5 July 1981

Barrie, P. A., Jeffreys, A. J. and Scott, A. F., Evolution of the β-Globin Gene Cluster in Man and the Primates 319

Pribnow, D., Sigurdson, D. C., Gold, L., Singer, B. S., Napoli, C., Brosius, J., Dull, T. J. and Noller, H. F., rII Cistrons of Bacteriophage T4. DNA Sequence Around the Intercistronic Divide and Positions of Genetic Landmarks 337

Nelson, M. A., Singer, B. S., Gold, L. and Pribnow, D., Mutations that Detoxify an Aberrant T4 Membrane Protein 377

Singer, B. S., Gold, L., Shinedling, S. T., Colkitt, M., Hunter, L. R., Pribnow, D. and Nelson, M. A., Analysis *in Vivo* of Translational Mutants of the rIIB Cistron of Bacteriophage T4 405

Napoli, C., Gold, L. and Singer, B. S., Translational Reinitiation in the rIIB Cistron of Bacteriophage T4 433

Lambert, J. M. and Traut, R. R., The Subunit Interface of the *Escherichia coli* Ribosome. Identification of Proteins at the Interface Between the 30 S and 50 S Subunits by Crosslinking with 2-Iminothiolane . . 451

MEEK, K. M., ELLIOTT, G. F., SAYERS, Z., WHITBURN, S. B. and KOCH, M. H. J., Interpretation of the Meridional X-ray Diffraction Pattern from Collagen Fibrils in Corneal Stroma 477

ARNOTT, S., CHANDRASEKARAN, R., DAY, A. W., PUIGJANER, L. C. and WATTS, L. W., Double-helical Structures for Polyxanthylic Acid . . . 489

ARNOTT, S., CHANDRASEKARAN, R., LESLIE, A. G. W., PUIGJANER, L. C. and SAENGER, W., Structure of the Poly(2-thiouridylic)Acid Duplex . . 507

ASHBY, B., NIXON, J. S. and WOOTTON, J. C., Mutational Variants of the *Neurospora crassa* NADP-specific Glutamate Dehydrogenase Altered in a Conformational Equilibrium 521

LETTER TO THE EDITOR

MAK, A. S. and SMILLIE, L. B., Structural Interpretation of the Two-site Binding of Troponin on the Muscle Thin Filament 541

ERRATUM 551

NUMBER 4, 15 JULY 1981

DABBS, E. R., EHRLICH, R., HASENBANK, R., SCHROETER, B.-H., STÖFFLER-MEILICKE, M. and STÖFFLER, G., Mutants of *Escherichia coli* Lacking Ribosomal Protein L1 553

WESSLER, S. R. and CALVO, J. M., Control of *leu* Operon Expression in *Escherichia coli* by a Transcription Attenuation Mechanism . . . 579

RAY, B. K. and APIRION, D., RNAase P is Dependent on RNAase E Action in Processing Monomeric RNA Precursors that Accumulate in an RNAase E^- Mutant of *Escherichia coli* 599

UENO, H. and HARRINGTON, W. F., Cross-bridge Movement and the Conformational State of the Myosin Hinge in Skeletal Muscle . . 619

ZACHARY, A. and BLACK, L. W., DNA Ligase is Required for Encapsidation of Bacteriophage T4 DNA 641

LOVELL, S. J. and HARRINGTON, W. F., Measurement of the Fraction of Myosin Heads Bound to Actin in Rabbit Skeletal Myofibrils in Rigor . . 659

Appendix: A Re-examination of the Tryptic Digestion of Synthetic Thick Filaments 670

NAVE, C., BROWN, R. S., FOWLER, A. G., LADNER, J. E., MARVIN, D. A., PROVENCHER, S. W., TSUGITA, A., ARMSTRONG, J. and PERHAM, R. N., Pf1 Filamentous Bacterial Virus. X-ray Fibre Diffraction Analysis of Two Heavy-atom Derivatives 675

THOMA, F. and KOLLER, TH., Unravelled Nucleosomes, Nucleosome Beads and Higher Order Structures of Chromatin: Influence of Non-histone Components and Histone H1 709

Moyne, G., Freeman, R., Saragosti, S. and Yaniv, M., A High-resolution Electron Microscopy Study of Nucleosomes from Simian Virus 40 Chromatin 735

Lomonossoff, G. P., Butler, P. J. G. and Klug, A., Sequence-dependent Variation in the Conformation of DNA 745

Dickerson, R. E. and Drew, H. R., Structure of a *B*-DNA Dodecamer. II. Influence of Base Sequence on Helix Structure 761

Yagi, N., Dickens, M. J., Bennett, P. M. and Offer, G., Electron Microscopy and X-ray Diffraction of a Hexagonal Net of Light Meromyosin 787

Kuiper, H. A., Zolla, L., Finazzi-Agro, A. and Brunori, M., Interaction of Lanthanide Ions with *Panulirus interruptus* Hemocyanin: Evidence for Vicinity of Some of the Cation Binding Sites 805

Letters to the Editor

Plautz, G. and Apirion, D. Processing of RNA in *Escherichia coli* is Limited in the Absence of Ribonuclease III, Ribonuclease E and Ribonuclease P 813

Bogosian, G., Bertrand, K. and Somerville, R., Trp Repressor Protein Controls its own Structural Gene 821

Index to Volume 149

Actin, measurement of the fraction of bound myosin heads in rabbit skeletal myofibrils in rigor, 659
Adenovirus serotype 2, promoters and heterogeneous 5′ termini of the mRNAs, 189
*ara*C protein: identification on two-dimensional gels, its *in vivo* instability and normal level, 133
ANDERSON, D. M. (see also POSAKONY, J. W.), 41
—, — (see also SCHELLER, R. H.), 15
APIRION, D. (see also PLAUTZ, G.), 813
—, — (see also RAY, B. K.), 599
ARAD, T. (see also LEONARD, K.), 259
ARMSTRONG, J. (see also NAVE, C.), 675
ARNOTT, S., CHANDRASEKARAN, R., DAY, A. W., PUIGJANER, L. C. & WATTS, L. W., Double-helical structures for polyxanthylic acid, 489
—, —, CHANDRASEKARAN, R., LESLIE, A. G. W., PUIGJANER, L. C. & SAENGER, W., Structure of the poly(2-thiouridylic)acid duplex, 507
ASHBY, B., NIXON, J. S. & WOOTTON, J. C., Mutational variants of the *Neurospora crassa* NADP-specific glutamate dehydrogenase altered in a conformational equilibrium, 521
ASNES, C. F. (see also LITTLE, M.), 95

Bacterial chemotactic sensing, role of membrane potential and calcium, 241
Bacteriophage T4, analysis *in vivo* of translational mutants of the rIIB cistron, 405
— — DNA encapsidation, DNA ligase is required, 641
— — membrane protein, aberrant, mutations that detoxify, 377
— — rII cistrons. DNA sequence around the intercistronic divide and positions of genetic landmarks, 337
— —, translational reinitiation in the rIIB cistron, 433
BAKER, C. C. & ZIFF, E. B., Promoters and heterogeneous 5′ termini of the messenger RNAs of adenovirus serotype 2, 189
BARRIE, P. A., JEFFREYS, A. J. & SCOTT, A. F., Evolution of the β-globin gene cluster in man and the primates, 319
B-DNA dodecamer structure. Influence of base sequence on helix structure, 761
BECKINGHAM, K., The ribosomal DNA of *Calliphora erythrocephala*. The cistron classes of total genomic DNA, 141
BENNETT, P. M. (see also YAGI, N.), 787
BERTRAND, K. (see also BOGOSIAN, G.), 821
Binding, two-site, of troponin on the muscle thin filament; structural interpretation, 541
BLACK, L. W. (see also ZACHARY, A.), 641
BODE, W. (see also WEBER, E.), 109
BOGOSIAN, G., BERTRAND, K. & SOMERVILLE, R., Trp repressor protein controls its own structural gene, 821
BRITTEN, R. J. (see also POSAKONY, J. W.), 41
—, — (see also SCHELLER, R. H.), 15
BROSIUS, J. (see also PRIBNOW, D.), 337
BROWN, R. S. (see also NAVE, C.), 675
BRUNORI, M. (see also KUIPER, H. A.), 805
BUTLER, P. J. G. (see also LOMONOSSOFF, G. P.), 745

Caenorhabditis elegans ribosomal DNA, 223
Calcium and membrane potential, role in chemotactic sensing by bacteria, 241
Calliphora erythrocephala ribosomal DNA. The cistron classes of total genomic DNA, 141
CALVO, J. M. (see also WESSLER, S. R.), 579
CHAIKEN, I. M. (see also TAYLOR, H. C.), 313
CHANDRASEKARAN, R. (see also ARNOTT, S.), 489, 507
Chemotactic sensing by bacteria, role of membrane potential and calcium, 241
Chromatin and nucleosome structure: influence of non-histone components and histone H1, 709
—, SV40, a high-resolution electron microscopy study of nucleosomes, 735

Cistron classes of total genomic ribosomal DNA of *Calliphora erythrocephala*, 141
Cleavage patterns, proteolytic, of α-tubulins and β-tubulins, a comparison for taxonomically distant species, 95
CLEAVER, J. E. (see also KAUFMANN, W. K.), 171
Cloned repeat elements, nucleotide sequences; repetitive sequences of the sea urchin genome, 41
Codon usage, degenerate, and eukaryotic dinucleotide preference rules, 125
COLKITT, M. (see also SINGER, B. S.), 405
Collagen fibrils in corneal stroma, interpretation of the meridional X-ray diffraction pattern, 477
Conformation, "active", of an inactive semi-synthetic ribonuclease-S, 313
— of DNA, sequence-dependent variation, 745
Conformational state of the myosin hinge in skeletal muscle, and cross-bridge movement, 619
— variants of the *Neurospora crassa* NADP-specific glutamate dehydrogenase, 521
Conservation, evolutionary, and subfamily structure; repetitive sequences of the sea urchin genome, 15
Corneal stroma, interpretation of the meridional X-ray diffraction pattern from collagen fibrils, 477
Cross-bridge movement and the conformational state of the myosin hinge in skeletal muscle, 619
Crystallization, crystal structure analysis and molecular model of the third domain of Japanese quail ovomucoid, a Kazal type inhibitor, 109
Cytochrome reductase membrane crystals, comparative electron microscopic studies when partially negatively stained, freeze-dried and freeze-fractured, 275

DABBS, E. R., EHRLICH, R., HASENBANK, R., SCHROETER, B.-H., STÖFFLER-MEILICKE, M. & STÖFFLER, G., Mutants of *Escherichia coli* lacking ribosomal protein L1, 553
DAVIDSON, E. H. (see also POSAKONY, J. W.), 41
—, — (see also SCHELLER, R. H.), 15
DAY, A. W. (see also ARNOTT, S.), 489
Degenerate codon usage and eukaryotic dinucleotide preference rules, 125
DNA, B-form, solid state dynamics, 307
— conformation, sequence-dependent variation, 745
— ligase is required for encapsidation of bacteriophage T4 DNA, 641
— replication, mechanisms of inhibition by ultraviolet light in normal human and xeroderma pigmentosum fibroblasts, 171
—, ribosomal, of *Caenorhabditis elegans*, 223
—, —, — *Calliphora erythrocephala*. The cistron classes of total genomic DNA, 141
— sequence around the intercistronic divide and positions of genetic landmarks; rII cistrons of bacteriophage T4, 337
—: structure of a *B*-DNA dodecamer; influence of base sequence on helix structure, 761
Detoxifying mutations for an aberrant T4 membrane protein, 377
DICKENS, M. J. (see also YAGI, N.), 787
DICKERSON, R. E. & DREW, H. R., Structure of a *B*-DNA dodecamer. II. Influence of base sequence on helix structure, 761
Dinucleotide, eukaryotic, preference rules and their implications for degenerate codon usage, 125
DIVERDI, J. A. & OPELLA, S. J., Dynamics of B-DNA in the solid state, 307
Double-helical structures for polyxanthylic acid, 489
DREW, H. R. (see also DICKERSON, R. E.), 761
DULL, T. J. (see also PRIBNOW, D.), 337
Dynamics of B-DNA in the solid state, 307

EHRLICH, R. (see also DABBS, E. R.), 553
Electron microscopic comparative studies of partially negatively stained, freeze-dried and freeze-fractured cytochrome reductase membrane crystals, 275
— microscopy and X-ray diffraction of a hexagonal net of light meromyosin, 787
— — study, high-resolution, of nucleosomes from SV40 chromatin, 735
— — —, using membrane crystals, of three-dimensional structure of ubiquinol : cytochrome *c* reductase from *Neurospora* mitochondria, 259
ELLIOTT, G. F. (see also MEEK, K. M.), 477
Elongation factor Tu can reduce translation errors in poly(U)-directed cell-free systems, 69
Escherichia coli, control of *leu* operon expression by a transcription attenuation mechanism, 579
— — mutants lacking ribosomal protein L1, 553

— — ribosome subunit interface. Identification of proteins at the interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451
— — RNA processing is limited in the absence of ribonuclease III, ribonuclease E and ribonuclease P, 813
— —, RNAase P is dependent on RNAase E action in processing monomeric RNA precursors that accumulate in an RNAase E⁻ mutant, 599
Eukaryotic dinucleotide preference rules and their implications for degenerate codon usage, 125
Evolution of the β-globin gene cluster in man and the primates, 319
Evolutionary conservation and subfamily structure; repetitive sequences of the sea urchin genome, 15

Farrell, K. (see also Little, M.), 95
Fibroblasts, normal human and xeroderma pigmentosum, mechanisms of inhibition of DNA replication by ultraviolet light, 171
Filamentous bacterial virus Pf1; X-ray fibre diffraction analysis of two heavy-atom derivatives, 675
Filaments, intermediate-sized, reconstitution from denatured monomeric vimentin, 285
—, thick, synthetic, a re-examination of the tryptic digestion, 670
Files, J. G. & Hirsh, D., Ribosomal DNA of *Caenorhabditis elegans*, 223
Finazzi-Agro, A. (see also Kuiper, H. A.), 805
Folkhard, W., Marvin, D. A., Watts, T. H. & Paranchych, W., Structure of polar pili from *Pseudomonas aeruginosa* strains K and O, 79
Fowler, A. G. (see Nave, C.), 675
Franke, W. W. (see also Renner, W.), 285
Freeman, R. (see also Moyne, G.), 735
Freeze-dried, freeze-fractured and partially negatively stained cytochrome reductase membrane crystals, comparative electron microscopic studies, 275

Gavrilova, L. P., Perminova, I. N. & Spirin, A. S., Elongation factor Tu can reduce translation errors in poly(U)-directed cell-free systems, 69
Geisler, N. (see also Renner, W.), 285
Gene cluster, β-globin, evolution in man and the primates, 319
— *trpR* is controlled by Trp repressor protein, 821
Genetic landmarks and DNA sequence around the intercistronic divide for rII cistrons of bacteriophage T4, 337
Genome, sea urchin, repetitive sequences: nucleotide sequences of cloned repeat elements, 41
— — —, — —: subfamily structure and evolutionary conservation, 15
— set of ribosomal DNA cistrons in *Calliphora erythrocephala*, composition analysis, 141
β-Globin gene cluster evolution in man and the primates, 319
Glutamate dehydrogenase, NADP-specific, of *Neurospora crassa*, mutational variants altered in a conformational equilibrium, 521
Glycine tRNA suppressors of UGG, restricted wobble in UGA codon recognition, 1
Gold, L. (see also Napoli, C.), 433
—, — (see also Nelson, M. A.), 377
—, — (see also Pribnow, D.), 337
—, — (see also Singer, B. S.), 405

Harrington, W. F. (see also Lovell, S. J.), 659
—, — (see also Ueno, H.), 619
Hasenbank, R. (see also Dabbs, E. R.), 553
Heavy-atom derivatives of Pf1 filamentous bacterial virus, X-ray fibre diffraction analysis, 675
Helix structure of a *B*-DNA dodecamer, influence of base sequence, 761
Hemocyanin, *Panulirus interruptus*, interaction with lanthanide ions; evidence for vicinity of some of the cation binding sites, 805
Hexagonal net of light meromyosin, electron microscopy and X-ray diffraction, 787
Hirsh, D. (see also Files, J. G.), 223
Histone H1 and non-histone components, their influence on unravelled nucleosomes, nucleosome beads and higher order structures of chromatin, 709
Homo, J.-C. (see also Lepault, J.), 275
Huber, R. (see also Weber, E.), 109

Human and xeroderma pigmentosum fibroblasts, mechanisms of inhibition of DNA replication by ultraviolet light, 171
HUNTER, L. R. (see also SINGER, B. S.), 405

2-Iminothiolane crosslinking and the identification of proteins at the *Escherichia coli* ribosomal interface between the 30 S and 50 S subunits, 451
Interface, subunit, of the *Escherichia coli* ribosome. Identification of proteins at the interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451

Japanese quail ovomucoid third domain, a Kazal type inhibitor; crystallization, crystal structure and molecular model, 109
JEFFREYS, A. J. (see also BARRIE, P. A.), 319

KATO, I. (see also WEBER, E.), 109
KAUFMANN, W. K. & CLEAVER, J. E., Mechanisms of inhibition of DNA replication by ultraviolet light in normal human and xeroderma pigmentosum fibroblasts, 171
Kazal type inhibitor, third domain of Japanese quail ovomucoid: crystallization, crystal structure analysis and molecular model, 109
KLUG, A. (see also LOMONOSSOFF, G. P.), 745
KOCH, M. H. J. (see also MEEK, K. M.), 477
KOLLER, TH. (see also THOMA, F.), 709
KOLODRUBETZ, D. & SCHLEIF, R., Identification of *ara*C protein on two-dimensional gels, its *in vivo* instability and normal level, 133
KOMIRAYA, A. (see also TAYLOR, H. C.), 313
KOSHLAND, D. E., Jr (see also SNYDER, M. A.), 241
KUIPER, H. A., ZOLLA, L., FINAZZI-AGRO, A. & BRUNORI, M., Interaction of lanthanide ions with *Panulirus interruptus* hemocyanin: evidence for vicinity of some of the cation binding sites, 805

L1 ribosomal protein lacking in mutants of *Escherichia coli*, 553
LADNER, J. E. (see also NAVE, C.), 675
LAMBERT, J. M. & TRAUT, R. R., The subunit interface of the *Escherichia coli* ribosome. Identification of proteins at the interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451
LANGFORD, G. M. (see also LITTLE, M.), 95
Lanthanide ions, interaction with *Panulirus interruptus* hemocyanin: evidence for vicinity of some of the cation binding sites, 805
LASKOWSKI, M. (see also WEBER, E.), 109
LEONARD, K., WINGFIELD, P., ARAD, T. & WEISS, H., Three-dimensional structure of ubiquinol: cytochrome *c* reductase from *Neurospora* mitochondria determined by electron microscopy of membrane crystals, 259
—, — (see also LEPAULT, J.), 275
LEPAULT, J., WEISS, H., HOMO, J.-C. & LEONARD, K., Comparative electron microscopic studies of partially negatively stained, freeze-dried and freeze-fractured cytochrome reductase membrane crystals, 275
LESLIE, A. G. W. (see also ARNOTT, S.), 507
leu operon expression in *Escherichia coli* controlled by a transcription attenuation mechanism, 579
Ligase, DNA, is required for encapsidation of bacteriophage T4 DNA, 641
Light meromyosin, electron microscopy and X-ray diffraction of a hexagonal net, 787
LITTLE, M., LUDUEÑA, R. F., LANGFORD, G. M., ASNES, C. F. & FARRELL, K., Comparison of proteolytic cleavage patterns of α-tubulins and β-tubulins from taxonomically distant species, 95
LOMONOSSOFF, G. P., BUTLER, P. J. G. & KLUG, A., Sequence-dependent variation in the conformation of DNA, 745
LOVELL, S. J. & HARRINGTON, W. F., Measurement of the fraction of myosin heads bound to actin in rabbit skeletal myofibrils in rigor, 659
LUDUEÑA, R. F. (see also LITTLE, M.), 95

McAllister, R. B. (see also Scheller, R. H.), 15
Mak, A. S. & Smillie, L. B., Structural interpretation of the two-site binding of troponin on the muscle thin filament, 541
Man and the primates, evolution of the β-globin gene cluster, 319
Marvin, D. A. (see also Folkhard, W.), 79
—, — (see also Nave, C.), 675
Meek, K. M., Elliott, G. F., Sayers, Z., Whitburn, S. B. & Koch, M. H. J., Interpretation of the meridional X-ray diffraction pattern from collagen fibrils in corneal stroma, 477
Membrane potential and calcium, role in chemotactic sensing by bacteria, 241
Meromyosin, light, electron microscopy and X-ray diffraction of a hexagonal net, 787
Messenger RNAs of adenovirus serotype 2, promoters and heterogeneous 5′ termini, 189
Mitochondrial ubiquinol : cytochrome *c* reductase from *Neurospora*, three-dimensional structure determined by electron microscopy of membrane crystals, 259
Monomeric RNA precursors accumulating in an RNAase E⁻ mutant of *Escherichia coli*, their processing by RNAase P is dependent on RNAase E action, 599
Moyne, G., Freeman, R., Saragosti, S. & Yaniv, M., A high-resolution electron microscopy study of nucleosomes from simian virus 40 chromatin, 735
Murgola, E. J., Restricted wobble in UGA codon recognition by glycine tRNA suppressors of UGG, 1
Muscle, skeletal, cross-bridge movement and the conformational state of the myosin hinge, 619
— thin filament, structural interpretation of the two-site binding of troponin, 541
Mutants of *Escherichia coli* lacking ribosomal protein L1, 553
—, translational, of the rIIB cistron of bacteriophage T4, analysis *in vivo*, 405
Mutational variants of the *Neurospora crassa* NADP-specific glutamate dehydrogenase altered in a conformational equilibrium, 521
Mutations that detoxify an aberrant T4 membrane protein, 377
Myofibrils, skeletal, rabbit, in rigor, measurement of the fraction of myosin heads bound to actin, 659
Myosin heads, fraction bound to actin, measurement in rabbit skeletal myofibrils in rigor, 659
— hinge conformational state in skeletal muscle, and cross-bridge movement, 619

NADP-specific glutamate dehydrogenase of *Neurospora crassa*, mutational variants altered in a conformational equilibrium, 521
Napoli, C., Gold, L. & Singer, B. S., Translational reinitiation in the rIIB cistron of bacteriophage T4, 433
—, — (see also Pribnow, D.), 337
Nave, C., Brown, R. S., Fowler, A. G., Ladner, J. E., Marvin, D. A., Provencher, S. W., Tsugita, A., Armstrong, J. & Perham, R. N., Pf1 filamentous bacterial virus. X-ray fibre diffraction analysis of two heavy-atom derivatives, 675
Negatively stained, freeze-dried and freeze-fractured cytochrome reductase membrane crystals, comparative electron microscopic studies, 275
Nelson, M. A., Singer, B. S., Gold, L. & Pribnow, D., Mutations that detoxify an aberrant T4 membrane protein, 377
—, — — (see also Singer, B. S.), 405
Neurospora crassa, mutational variants of the NADP-specific glutamate dehydrogenase altered in a conformational equilibrium, 521
Neurospora mitochondria, three-dimensional structure of ubiquinol : cytochrome *c* reductase determined by electron microscopy of membrane crystals, 259
Nixon, J. S. (see also Ashby, B.), 521
Noller, H. F. (see also Pribnow, D.), 337
Nucleosomes and chromatin structure: influence of non-histone components and histone H1, 709
— from SV40 chromatin, a high-resolution electron microscopy study, 735
Nussinov, R., Eukaryotic dinucleotide preference rules and their implications for degenerate codon usage, 125

Offer, G. (see also Yagi, N.), 787
Opella, S. J. (see also Diverdi, J. A.), 307
Ovomucoid, Japanese quail, third domain, a Kazal type inhibitor: crystallization, crystal structure analysis and molecular model, 109

Panulirus interruptus hemocyanin, interaction with lanthanide ions: evidence for vicinity of some of the cation binding sites, 805
Papamokos, E. (see also Weber, E.), 109
Paranchych, W. (see also Folkhard, W.), 79
Perham, R. N. (see also Nave, C., 675
Perminova, I. N. (see also Gavrilova, L. P.), 69
Pf1 filamentous bacterial virus: X-ray fibre diffraction analysis of two heavy-atom derivatives, 675
Pili, polar, from *Pseudomonas aeruginosa* strains K and O, a study of structure, 79
Plautz, G. & Apirion, D., Processing of RNA in *Escherichia coli* is limited in the absence of ribonuclease III, ribonuclease E and ribonuclease P, 813
Poly(2-thiouridylic) acid duplex structure, 507
—(U)-directed cell-free systems, elongation factor Tu can reduce translation errors, 69
Polyxanthylic acid double-helical structures, 489
Posakony, J. W., Scheller, R. H., Anderson, D. M., Britten, R. J. & Davidson, E. H., Repetitive sequences of the sea urchin genome. III. Nucleotide sequences of cloned repeat elements, 41
Posakony, J. W. (see also Scheller, R. H.), 15
Pribnow, D., Sigurdson, D. C., Gold, L., Singer, B. S., Napoli, C., Brosius, J., Dull, T. J. & Noller, H. F., rII cistrons of bacteriophage T4. DNA sequence around the intercistronic divide and positions of genetic landmarks, 337
—, — (see also Nelson, M. A.), 377
—, — (see also Singer, B. S.), 405
Primates and man, evolution of the β-globin gene cluster, 319
Promoters and heterogeneous 5′ termini of the mRNAs of adenovirus serotype 2, 189
Protein identification at the *Escherichia coli* ribosomal interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451
— L1, ribosomal, lacking in mutants of *Escherichia coli*, 553
—, Trp repressor, controls its own structural gene, 821
Proteolytic cleavage patterns of α-tubulins and β-tubulins, a comparison for taxonomically distant species, 95
Provencher, S. W. (see also Nave, C.), 675
Pseudomonas aeruginosa strains K and O, structure of polar pili, 79
Puigjaner, L. C. (see also Arnott, S.), 489, 507

rII cistrons of bacteriophage T4. DNA sequence around the intercistronic divide and positions of genetic landmarks, 337
rIIB cistron of bacteriophage T4, analysis *in vivo* of translational mutants, 405
— — — — —, translational reinitiation, 433
Rabbit skeletal myofibrils in rigor, measurement of the fraction of myosin heads bound to actin, 659
Ray, B. K. & Apirion, D., RNAase P is dependent on RNAase E action in processing monomeric RNA precursors that accumulate in an RNAase E$^-$ mutant of *Escherichia coli*, 599
Reconstitution of intermediate-sized filaments from denatured monomeric vimentin, 285
Reinitiation, translational, in the rIIB cistron of bacteriophage T4, 433
Renner, W., Franke, W. W., Schmid, E., Geisler, N., Weber, K. & Mandelkow, E., Reconstitution of intermediate-sized filaments from denatured monomeric vimentin, 285
Replication, DNA, mechanisms of inhibition by ultraviolet light in normal human and xeroderma pigmentosum fibroblasts, 171
Ribonuclease III, ribonuclease E and ribonuclease P, in their absence processing of RNA in *Escherichia coli* is limited, 813
Ribonuclease-S, semi-synthetic, inactive, study of "active" conformation, 313
RNA precursors, monomeric, accumulating in an RNAase E$^-$ mutant of *Escherichia coli*, their processing by RNAase P is dependent on RNAase E action, 599
— processing in *Escherichia coli* is limited in the absence of ribonuclease III, ribonuclease E and ribonuclease P, 813
Ribosomal DNA of *Caenorhabditis elegans*, 223
— — — *Calliphora erythrocephala*. The cistron classes of total genomic DNA, 141
— protein L1 lacking in mutants of *Escherichia coli*, 553
— subunit interface of *Escherichia coli*. Identification of proteins at the interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451
Richardson, D. C. (see also Taylor, H. C.), 313
—, J. S. (see also Taylor, H. C.), 313

RNAase P is dependent on RNAase E action in processing monomeric RNA precursors that accumulate in an RNAase E⁻ mutant of *Escherichia coli*, 599

Saenger, W. (see also Arnott, S.), 507
Saragosti, S. (see also Moyne, G.), 735
Sayers, Z. (see also Meek, K. M.), 477
Scheller, R. H., Anderson, D. M., Posakony, J. W., McAllister, L. B., Britten, R. J. & Davidson, E. H., Repetitive sequences of the sea urchin genome. II. Subfamily structure and evolutionary conservation, 15
—, — — (see also Posakony, J. W.), 41
Schleif, R. (see also Kolodrubetz, D.), 133
Schmid, E. (see also Renner, W.), 285
Schroeter, B.-H. (see also Dabbs, E. R.), 553
Scott, A. F. (see also Barrie, P. A.), 319
Sea urchin genome repetitive sequences: nucleotide sequences of cloned repeat elements, 41
— — — — —: subfamily structure and evolutionary conservation, 15
Sequence, base, influence on helix structure of a *B*-DNA dodecamer, 761
—, DNA, around the intercistronic divide and positions of genetic landmarks; rII cistrons of bacteriophage T4, 337
— -dependent variation in the conformation of DNA, 745
Sequences, repetitive, of the sea urchin genome. II. Subfamily structure and evolutionary conservation, 15
—, —, — — — — —. III. Nucleotide sequences of cloned repeat elements, 41
Shinedling, S. T. (see also Singer, B. S.), 405
Sigurdson, D. C. (see also Pribnow, D.), 337
Simian virus 40 chromatin nucleosomes, a high-resolution electron microscopy study, 735
Singer, B. S., Gold, L., Shinedling, S. T., Colkitt, M., Hunter, L. R., Pribnow, D & Nelson, M. A., Analysis *in vivo* of translational mutants of the rIIB cistron of bacteriophage T4, 405
Singer, B. S. (see also Napoli, C.), 433
—, — — (see also Nelson, M. A.), 377
—, — — (see also Pribnow, D.), 337
Skeletal muscle, cross-bridge movement and the conformational state of the myosin hinge, 619
— myofibrils, rabbit, in rigor, measurement of the fraction of myosin heads bound to actin, 659
Smillie, L. B. (see also Mak, A. S.), 541
Snyder, M. A., Stock, J. B. & Koshland, D. E., Jr, Role of membrane potential and calcium in chemotactic sensing by bacteria, 241
Somerville, R. (see also Bogosian, G.), 821
Spirin, A. S. (see also Gavrilova, L. P.), 69
Stock, J. B. (see also Snyder, M. A.), 241
Stöffler, G. (see also Dabbs, E. R.), 553
Stöffler-Meilicke, M. (see also Dabbs, E. R.), 553
Structural gene *trpR* is controlled by Trp repressor protein, 821
— interpretation of the two-site binding of troponin on the muscle thin filament, 541
Structure analysis, crystallization and molecular model of the third domain of Japanese quail ovomucoid, a Kazal type inhibitor, 109
— of a *B*-DNA dodecamer. Influence of base sequence on helix structure, 761
— — polar pili from *Pseudomonas aeruginosa* strains K and O, 79
— — the poly(2-thiouridylic) acid duplex, 507
—, three-dimensional, of ubiquinol : cytochrome *c* reductase from *Neurospora* mitochondria determined by electron microscopy of membrane crystals, 259
Structures, double-helical, for polyxanthylic acid, 489
Subunit interface of the *Escherichia coli* ribosome. Identification of proteins at the interface between the 30 S and 50 S subunits by crosslinking with 2-iminothiolane, 451
Suppressors, glycine tRNA, of UGG, restricted wobble in UGA codon recognition, 1

T4 (see also Bacteriophage), 337, 377, 405, 433, 641
Taylor, H. C., Richardson, D. C., Richardson, J. S., Wlodawer, A., Komiraya, A. & Chaiken, I. M., "Active" conformation of an inactive semi-synthetic ribonuclease-S, 313

THOMA, F. & KOLLER, TH., Unravelled nucleosomes, nucleosome beads and higher order structures of chromatin: influence of non-histone components and histone H1, 709
Transcription attenuation mechanism controls *leu* operon expression in *Escherichia coli*, 579
Transfer RNA suppressors of UGG, restricted wobble in UGA codon recognition, 1
Translation errors in poly(U)-directed cell-free systems can be reduced by elongation factor Tu, 69
Translational mutants of the rIIB cistron of bacteriophage T4, analysis *in vivo*, 405
— reinitiation in the rIIB cistron of bacteriophage T4, 433
TRAUT, R. R. (see also LAMBERT, J. M.), 451
Troponin two-site binding on the muscle thin filament; structural interpretation, 541
Trp repressor protein controls its own structural gene, 821
Tryptic digestion of synthetic thick filaments, a re-examination, 670
TSUGITA, A. (see also NAVE, C.), 675
Tu elongation factor can reduce translation errors in poly(U)-directed cell-free systems, 69
Tubulins, α- and β-, from taxonomically distant species, comparison of proteolytic cleavage patterns, 95

Ubiquinol: cytochrome *c* reductase from *Neurospora* mitochondria, three-dimensional structure determined by electron microscopy of membrane crystals, 259
UENO, H. & HARRINGTON, W. F., Cross-bridge movement and the conformational state of the myosin hinge in skeletal muscle, 619
UGA codon recognition by glycine tRNA suppressors of UGG shows restricted wobble, 1
UGG suppressor tRNAs, restricted wobble in UGA codon recognition, 1
Ultraviolet light inhibition of DNA replication, mechanisms in normal human and xeroderma pigmentosum fibroblasts, 171

Vimentin, monomeric, denatured, reconstitution of intermediate-sized filaments, 285
Virus, SV40, chromatin, a high-resolution electron microscopy study of nucleosomes, 735

WATTS, L. W. (see also ARNOTT, S.), 489
—, T. H. (see also FOLKHARD, W.), 79
WEBER, E., PAPAMOKOS, E., BODE, W., HUBER, R., KATO, I. & LASKOWSKI, M., Jr, Crystallization, crystal structure analysis and molecular model of the third domain of Japanese quail ovomucoid, a Kazal type inhibitor, 109
—, K. (see also RENNER, W.), 285
WEISS, H. (see also LEONARD, K.), 259
—, — (see also LEPAULT, J.), 275
WESSLER, S. R. & CALVO, J. M., Control of *leu* operon expression in *Escherichia coli* by a transcription attenuation mechanism, 579
WHITBURN, S. B. (see also MEEK, K. M.), 477
WINGFIELD, P. (see also LEONARD, K.), 259
WLODAWER, A. (see also TAYLOR, H. C.), 313
Wobble, restricted, in UGA codon recognition by glycine tRNA suppressors of UGG, 1
WOOTTON, J. C. (see also ASHBY, B.), 521

Xeroderma pigmentosum fibroblasts, mechanisms of inhibition of DNA replication by ultraviolet light, 171
X-ray diffraction and electron microscopy of a hexagonal net of light meromyosin, 787
— — pattern, meridional, from collagen fibrils in corneal stroma; interpretation, 477
— fibre diffraction analysis of two heavy-atom derivatives of Pf1 filamentous bacterial virus, 675,

YAGI, N., DICKENS, M. J., BENNETT, P. M. & OFFER, G., Electron microscopy and X-ray diffraction of a hexagonal net of light meromyosin, 787
YANIV, M. (see also MOYNE, G.), 735

ZACHARY, A. & BLACK, L. W., DNA ligase is required for encapsidation of bacteriophage T4 DNA, 641
ZIFF, E. B. (see also BAKER, C. C.), 189
ZOLLA, L. (see also KUIPER, H. A.), 805